

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

ROTARY TILLER

SKID STEER ATTACHMENT



TILL WE MEET AGAIN...



This is a perfect tool for preparing gardens, food plots or seedbeds. The bidirectional rotation saves time and labor as it allows you to quickly pulverize soil and cover your tracks. The dual direct-drive motors and replaceable, double-edge hardened tines keep you in the fields working, not in the repair shop.

FEATURES

- Bidirectional rotation increases efficiency by saving time and labor
- Tills up to 6" deep
- Dual direct-drive motors give higher production with lower maintenance
- Replaceable, double-edge, hardened tines for prolonged life
- Easy adjust depth shoes to control tilling depth
- Operates in standard flow or high flow

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]

ATTACHMENTS LLC

www.erskineattachments.com

800.437.6912

ROTARY TILLER

SKID STEER ATTACHMENT



Breaks ground up to 6" deep. Choose from 66" or 78" models.



Bi-Directional rotation increases efficiency by saving time and labor.

Model	66"	78"
Part Number	900913	900915
Overall Width	79"	91"
Tilling Width	65.5"	77.5"
Tilling Depth	0-6"	0-6"
Overall Height	18"	18"
Number of Tines	40	48
Tine Rotation	Bidirectional	Bidirectional
Weight	715 lb.	790 lb.
Driveline	2 motors	2 motors
Hydro Flow Required	16-28 GPM	22-41 GPM
Hydro Pressure Required	2,500 psi	3,000 psi
Drive	Direct	Direct

Options		
Factory Installed Couplers		
Factory Installed High Flow Couplers	N/A	

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

ROTARY TILLER

SKID STEER ATTACHMENT



Tines are designed to allow “flex” so damage is less likely when a large rock is impacted and turned over through the tines.



Dual direct-drive motors give high production with lower maintenance

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC