

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

SNOW/LIGHT MATERIAL BLADE

SKID STEER ATTACHMENT



**THE PERFECT
BLADE...**

The Snow/Light Material Blade is the perfect way to remove snow from walks, driveways, or parking lots. Use it in the summer for light material grading by engaging the standard locking trip mechanism. Add the optional Wing Kit and your blade becomes a snow pusher, increasing your production of larger areas and lots.

FEATURES

- 28" curved blade
- Moldboard has four (4) spring trips for component protection
- Strong, high-carbon steel cutting edge for long life
- Features our universal mounting system for fast, easy hook-up
- Highly visible guide markers for easy location of blade edge/corners
- Easy-adjust depth shoes
- Hydraulic cylinder provides 25° left/right angling
- Optional wing kit turns blade into a "pusher"
- Our universal attachment plates fit most skid steers

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

SNOW/LIGHT MATERIAL BLADE

SKID STEER ATTACHMENT



Optional wing kit turns blade into a "pusher"



Unique hinge joint allows limited flex of blade from side-to-side.

Model	72"	84"	96"	108"
Part Number	900341 / 900340	900343 / 900342	900345 / 900344	900347 / 900346
Angling	Manual / Hydraulic	Manual / Hydraulic	Manual / Hydraulic	Manual / Hydraulic
Width	72"	84"	96"	108"
Height	28"	28"	28"	28"
Width Fully Angled	66"	76"	87"	98"
Trip Type	Moldboard	Moldboard	Moldboard	Moldboard
Trip Springs	4	4	4	4
Cutting Edge	3/8" x 6"	3/8" x 6"	3/8" x 6"	3/8" X 6"
Cylinder	3 x 8	3 x 8	3 x 8	3 x 8
Moldboard Thickness	.135"	.135"	.135"	.135"
Mounting Plate	Universal	Universal	Universal	Universal
Shipping Weight	675 lb.	710 lb.	745 lb.	780 lb.
Operating Weight	600 lb.	635 lb.	670 lb.	705 lb.

Options


- Urethane Cutting Edge
- Rubber Cutting Edge
- Hardened Skid Shoes
- Urethane Skid Shoes
- Wing Kit
- Factory Installed Couplers

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

SNOW/LIGHT MATERIAL BLADE

SKID STEER ATTACHMENT



Optional: Urethane Skid Shoe and Optional Protective Cutting Edge prevents unwanted damage when used on decorative driveways, sidewalks, cobblestone and pavers



Optional: Hardened Skid Shoe



Easy adjustable depth shoes make for desired depth control. Four trip springs provide strength and eliminate any unnecessary moldboard trip.



Large 28" curved moldboard. Guide markers provide better visibility to locate blade corners. 3" x 8" hydraulic cylinder provides 25° left/right angling.

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC