

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

TRENCHER

SKID STEER ATTACHMENT

YOU'LL DIG THIS...



For tough-to-tackle trenching jobs, our unit offers contractors a heavy-duty, easy-to-operate solution for digging trenches – large or small.

FEATURES

- Manual side-shift comes standard
- Optional hydraulic side-shift
- High speed chain for faster digging
- Low and high flow models available
- Our universal attachment plates fit most skid steers

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]

ATTACHMENTS LLC

www.erskineattachments.com

800.437.6912

TRENCHER

SKID STEER ATTACHMENT



Model	Standard Flow	High Flow
Weight (3' x 6" Double Cup)	1,000 lb.	N/A
Weight (4' x 6" Double Cup)	1,200 lb.	1,250 lb.
Height x Width	24.625" x 60.75"	24.625" x 60.75"
Length (3' x 6" Double Cup)	82.625"	N/A
Length (4' x 6" Double Cup)	96.625"	96.625"
Trenching Depth (3' x 6" Double Chain)	38" @ 60°	N/A
Trenching Depth (4' x 6" Double Chain)	50" @ 60°	50" @ 60°
Operating psi	2,000 - 3,000 psi	2,500 - 3,000 psi
Rated Flow	15 - 25 GPM	25 - 40 GPM
Shaft Speed	125 - 225 RPM	150 - 240 RPM
Standard Boom	3'	4'
Standard Teeth	Cup	Cup
Side-Shift (to right of center)	24"	24"

Options		
Hydraulic Side-Shift		
Case Drain Coupler	N/A	
Factory Installed Couplers		
Factory Installed High Flow Couplers	N/A	

800.437.6912


ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

TRENCHER

SKID STEER ATTACHMENT



**HEAVY-DUTY DIRECT-DRIVE SYSTEM
ELIMINATES CHAIN REDUCTION**

**HEAVY-DUTY BUILT-IN
CRUMPER FOR LOOSE SOIL
REMOVAL**

***STANDARD 3' BOOM 4" DOUBLE CUP CON-
FIGURATION
(PHOTOS SHOWN WITH OPTIONAL 50/50 BULLET 7
STANDARD CHAIN)**



**DOUBLE CUP, SCORPION & BULLET
TEETH**



800.437.6912

ERSKINE[®]
ATTACHMENTS LLC